

# AT 65-791

## 350MM BLACK LACED IN ZIP MINING BOOT



## STYLE SPECIFICATIONS

### DESCRIPTION:

100% waterproof premium full grain leather steel toe mining boot

**Colour:** Black

**Sizes:** 4 - 16, 6½ - 12½

**Replacement Lace Code:** ZIP791

### Standards:

AS/NZS 2210.3:2009

EN ISO 20345:2011, ASTM F2413-17

S3 rating (AS/NZS 2210.3:2009)

Waterproof and penetration resistance

**Application:** Mining & Quarrying /  
Chemical / Oil & Gas

### FEATURES:

- 100% waterproof premium full grain leather.
- New Y-Guard TPU ankle protector on both sides of the boot provides impact resistance to the ankle and lower leg, and superior torsional support.
- Flush, integrated zip contours to the boot, providing full flexibility and support and allows a custom fit to your leg shape.
- Reflective panel above the heel provides additional safety for increased visibility in low lighting situations.
- New and improved SAFETYcell® integrated TPU heel and toe and coated leather shell for enhanced abrasion and cut resistance.
- Heavy duty Kevlar® stitching across all critical wear seams.
- Increased padding through tongue and leg for increased support and stability.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Improved NANOLite® footbed with moisture wicking characteristics and softer materials provides additional cushioning and comfort.
- Q-Flex® non metallic penetration protection insole.
- 100% waterproof technology constructed using a seam sealed membrane lining that draws moisture from the foot, whilst preventing water penetration into the boot.
- Internal PORON® XRD metatarsal guard.
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- AT's dual density PU/Rubber sole with lightweight shock absorbing PU midsole and hardwearing rubber outsole for superior durability. Resistant to 300°C surface contact.

### COMFORT TECHNOLOGY



COMFORTcushion  
Impact  
Absorption



NANOLite  
footbed



NATUREform  
wide profile Type  
1 safety toe cap



Steel Safety  
Toe Cap



Waterproof  
footwear



SAFETYcell  
protection



Midsole  
penetration  
protection



Metatarsal  
protection

### SOLING TECHNOLOGY



300°C  
Heat Resistant  
sole (572° F)



Abrasion  
Resistant sole



Cut Resistant  
sole



Slip Resistant  
sole



Sole resistant to  
mineral oils  
and acids



Sole resistant to  
organic oils  
and fats



Antistatic  
discharges static  
build-up

OLIVER FOOTWEAR



Facebook.com/oliversafetyfootwear



@oliverfootwear

Honeywell