

# HS 66-399

## BLACK SMELTER BOOT WITH EXTERNAL METGUARD



by Honeywell

## STYLE SPECIFICATIONS



### DESCRIPTION:

Heat resistant and flame retardant leather smelter boot

**Colour:** Black

**Sizes:** 5 - 14, 6½ - 10½

### Standards:

AS/NZS 2210.3:2009

EN ISO 20345:2011, ASTM F2413-11

**Application:** Steel & Smelter

### FEATURES:

- Heat resistant and flame retardant leather upper.
- Uppers designed to assist the run-off of molten metal.
- TECTuff® toe bumper to protect against scuffing.
- Leather lining along the heel and the foot area of the boot to provide additional heat protection
- PORON XRD™ flexible, lightweight internal metatarsal guard.
- COMFORTcushion® Impact Absorption System with PORON™ protects the heel and ball of the foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Q-Flex® non metallic penetration protection insole.
- Full breathable lining with a padded comfort collar.
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) Protection.
- Heavy Duty Nitrile Rubber dual density sole, with an in-fill comfort layer of urethane cushioning, coupled with a high density hard-wearing nitrile rubber outsole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

### COMFORT TECHNOLOGY



COMFORTcushion  
Impact Absorption



NATUREform  
wide profile Type 1 safety toe cap



Water Resistant  
Leather



Steel Safety  
Toe Cap



Metatarsal  
protection



Midsole  
penetration  
protection



NANOLite  
footbed

### SOLING TECHNOLOGY



300°C  
Heat Resistant  
sole (572° F)



Abrasion  
Resistant sole



Cut Resistant  
sole



Slip Resistant  
sole



Sole resistant to  
mineral oils  
and acids



Sole resistant to  
organic oils  
and fats



Electrical Hazard  
Resistant

OLIVER FOOTWEAR